



Welcome to the Doorland Group

Your answer to doors.

Our Doorland

The Doorland Group is an industry leader that creates custom wood stile & rail doors, MDF fire rated doors and wood mouldings. Each of our five divisions offers specialized door products and services for both commercial and residential applications.

Our Divisions

- Custom Solid Wood Stile & Rail Doors
- Custom MDF, 20, 45, 60 & 90 Minute Fire Rated Doors, up to STC 36
- Custom & Standard Mouldings
- Hardware
- In-House Automated Factory Finishing

There are several factors that make our doors unique. Not least of these is our ability to interpret any and all design plans in ways that express our clients' vision. Size, shape, color, finish, any element of our doors, can be adapted to blend with the chosen décor. Combine this ability with our superb craftsmanship, state-of-the-art machinery and software and, of course, the generations of knowledge that go into each piece we produce, and you will understand just how we have achieved our unrivalled reputation.



Our Solid Wood Stile & Rail Doors

Our solid wood stile & rail doors are made from top grade lumber and are assembled using a mortise and tenon joint. Strong and effective, this method produces one of the strogest joints in woodworking. Our door stiles are created from a single length of solid wood and are available in common and top grade wood species. These include; Red Oak, Yellow Poplar, Mahogany, Cherry, Walnut, Maple, and Knotty Pine.

Our manufacturing process uses the latest in computer numerical controlled (CNC) and custom-made machinery. We integrate the newest software applications and diamond tooling to ensure precision, consistency and supreme quality.

Our Solid MDF Doors

Our MDF doors are made from superior quality MDF with a solid wood door edge, which provides a superior grip during and after installation. Our MDF doors will not expand, contract, shrink, split or warp.

MDF doors are both beautiful and durable. They can be custom designed in any size with countless unique profiles and are also tested to comply with the requirements for 20, 45, 60 and 90 minute fire ratings and STC rating up to 36.

You can choose flat panels, raised panels or louvered doors and all styles are built using moisture-resistant type 1 glue and are factory primed on all six sides.

You'll find our doors in places of distinction throughout the world, including the Ritz-Carlton in Baltimore Maryland, the Plaza in New York, The Wynn and The Wynn Encore, Las Vegas.

Our Solid Wood Mouldings & Trim

Our solid wood mouldings can be manufactured in any specialty wood. We create our own templates and knives, which we cut and grind in-house. This gives our team greater control of the design and keeps the quality consistent during the manufacturing process. We have the ability to create customized profiles based on architectural and designer drawings.

Our Factory Finish

Our state-of-the-art factory finishing line is an automated process capable of finishing both interior and exterior doors in solid color, stain, sealer and lacquer.

Traditional trade finishing methods rely heavily on site conditions and workmanship. These factors can compromise the finish and the overall integrity of the door. The Doorland factory finished door is produced in a controlled environment; one where advanced machinery and qualified staff ensure a superior finish for each and every door.


Our Hardware

To further enhance the beauty of our doors, we offer a wide selection of entry sets and complimentary hardware. Add classical, contemporary and custom hardware in an assortment of finishes to your door design.

Door Styles

Door Styles


Door Styles



Typical Doorland door styles shown, Custom Designs and Sizing also available.

Door construction availability varies with Solid Wood, MDF, SCL, Extira, their composites, and the door style used.





Typical Doorland door styles shown, Custom Designs and Sizing also available.

Door construction availability varies with Solid Wood, MDF, SCL, Extira, their composites, and the door style used.



Panel Door Series

Panel Door Series

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4"	5 "	5"	5 "
В	5 "	5 "	5 "	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	⅓ OF OUTSIDE RAIL SIZE




FRENCH DOOR





S-02



COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4"	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11"	3 11"	3 11"	3 11"	4 11"
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4"	5 "	5 "	5 "
В	5"	5"	5"	5"	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 16	4 11 16	4 11 16	4 11 16	4 11/1
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


		DO	OR WII	OTH	
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	1	-	1	10"

BIFOLD DOOR


A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE KAIL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR



S-04



COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11/1	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5 "	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 '	3 11"	3 11"	3 11"	4 11 "
В	4 11 16	4 11 16	4 11 16	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"

BIFOLD DOOR


A - OUTSIDE RAIL	REGULAR SIZE
	⅓ OF OUTSIDE RAIL SIZE



FRENCH DOOR



S-07



COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5 "	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 16
В	4 11 "	4 11 "	4 11 "	4 11/10"	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	1	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5 "
U	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11"
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR


	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDERAL	1/2 OF OUTSIDE RAIL SIZE

SF-10



FRENCH DOOR



S-12

DOOR WIDTH 16" 18" Α $3\frac{1}{2}$ " 5" В 5" С 10" 10" **RESIDENTIAL WOOD DOOR** DOOR WIDTH EQ 16" 18" 2 11 " 3 11" Α 4 11 16 4 11 16 В 8 ½'' 8 ½'' С $3\frac{1}{4}$ " DOOR WIDTH N/A N/A EQ Α В С 3 1 " A - OUTSIDE RAIL A - INSIDE RAIL EQ 3 1 " EQ



FRENCH DOOR

COMMERCIAL DOOR

22 " 24-36"

5 "

10"

22 "

3 11 "

4 11 '

8 ½''

EXTERIOR DOOR

_

BIFOLD DOOR

REGULAR SIZE ½ OF OUTSIDE

RAIL SIZE SF-12

N/A 24-36"

 $5\frac{1}{2}$ 5 ½"

10"

5 "

5"

10"

24-36"

4 11 "

4 11 16

8 ½''

20 "

5"

10"

20 "

3 11 "

4 11 16

8 ½''

N/A

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5"
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	3 11"	4 11"
В	N/A	N/A	N/A	4 11 "	4 11 "
С	N/A	N/A	N/A	8 ½"	8 ½"

EXTERIOR DOOR


		DO	OR WII	OTH	
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE KAIL	1/2 OF OUTSIDE RAIL SIZE

SF-13




FRENCH DOOR





S-14



		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	3 ½"	4''	5 "	5 "	5 "	
В	5"	5 "	5"	5 "	5"	
С	10"	10"	10"	10"	10"	

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	½ OF OUTSIDE RAIL SIZE

SF-14



FRENCH DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	5 "	
В	N/A	N/A	N/A	N/A	5 "	
С	N/A	N/A	N/A	N/A	10"	

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11"
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	ı	ı	ı	ı	10"


A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE KAIL	1∕2 OF OUTSIDE RAIL SIZE

SF-15



FRENCH DOOR





COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11/1	4 11 16	4 11 16	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE



FRENCH DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4"	5 "	5 "	5 "
В	5"	5"	5"	5"	5 "
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 16	4 11 16	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	⅓ OF OUTSIDE RAIL SIZE



FRENCH DOOR





COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DOOR WIDTH			
	16"	18"	20 ''	22 "	24-36"
Α	2 11 '	3 11"	3 11"	3 11"	4 11 16
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4"	5 "	5 "	5 "
В	5 "	5"	5"	5"	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11/1"	3 11 "	3 11 "	3 11 "	4 11 16
В	4 11/10"	4 11/10"	4 11/10"	4 11/1	4 11 16
С	8 ½''	8 ½''	8 ½''	8 ½"	8 <u>1</u> ''

EXTERIOR DOOR


		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR





$3\frac{1}{4}$ " $3\frac{1}{4}$ "

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 ''	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 16	4 11 16	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

	A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL \frac{1}{2} \text{ OF OUTSIDE} RAIL SIZE	A - INSIDERAL	



FRENCH DOOR

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5 "	5 "	5 "	5 "	5 "
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDERAL	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR





COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11 16
С	N/A	N/A	N/A	N/A	8 <u>l</u> ''

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

A - OUTSIDE RAIL	REGULAR SIZE
	1/2 OF OUTSIDE RAIL SIZE
	INAIL SIZL

AF-11



FRENCH DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5"
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 16
В	N/A	N/A	N/A	N/A	4 11 "
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR


A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDERALI	1/2 OF OUTSIDE RAIL SIZE



FRENCH DOOR



E-01



COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 ''	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5"
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 16
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½''	8 ½"


EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE

EF-01



FRENCH DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5 "	5 "
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11/1"	3 11 "	3 11 "	3 11 "	4 11 16
В	4 11/10"	4 11/10"	4 11/10"	4 11/1	4 11 16
С	8 ½''	8 ½''	8 ½''	8 ½"	8 <u>1</u> ''

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	⅓ OF OUTSIDE RAIL SIZE


EF-02



FRENCH DOOR



E-03





W: www.doorlandgroup.com

22" 24-36"

5"

5"

10"

24-36"

4 11 16

4 11 16

8 ½"

24-36"

 $5\frac{1}{2}$ " $5\frac{1}{2}$ "

10"

5"

5"

10"

22 "

3 11 "

4 11 16

 $8\frac{1}{2}$

N/A

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5 "	5"	5 "	5"	5 "
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 16
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"


EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	1	1	1	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE RAIL SIZE

EF-04




FRENCH DOOR





E-05





22" 24-36" 5 "

5"

10"

22 "

3 11 "

4 11 "

8 ½''

5"

5"

10"

24-36"

4 11 "

4 11 "

8 ½''

 $5\frac{1}{2}$ " 5 ½"

10"

N/A 24-36"

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	3 ½"	4''	5 "	5 "	5 "	
В	5 "	5 "	5 "	5 "	5 "	
С	10"	10"	10"	10"	10"	

RESIDENTIAL WOOD DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	2 11"	3 11"	3 11"	3 11"	4 11 "	
В	4 11 16	4 11 "	4 11 "	4 11 "	4 11 "	
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"	


EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	⅓ OF OUTSIDE RAIL SIZE


EF-06



FRENCH DOOR



R-01



COMMERCIAL DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	3 ½"	4''	5 "	5 "	5 "	
В	5"	5 "	5"	5 "	5 "	
С	10"	10"	10"	10"	10"	

RESIDENTIAL WOOD DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11 "	3 11 "	3 11 "	4 11 16
В	4 11 "	4 11 "	4 11 "	4 11/10"	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1/2 OF OUTSIDE

RF-01



FRENCH DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	3 ½"	4"	5 "	5"	5 "	
В	5 "	5"	5"	5 "	5"	
С	10"	10"	10"	10"	10"	

RESIDENTIAL WOOD DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	2 11"	3 11"	3 11"	3 11"	4 11"
В	4 11 "	4 11"	4 11"	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR

	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	⅓ OF OUTSIDE RAIL SIZE


RF-02



FRENCH DOOR



R-03





20 "

5 "

5"

10"

20 "

3 11"

 $4\frac{11}{16}$

8 ½''

N/A

22" 24-36"

5"

5"

10"

24-36"

4 11 "

4 11 "

8 ½''

 $5\frac{1}{2}$ " 5 ½"

10"

N/A 24-36"

BIFOLD DOOR

REGULAR SIZE 1/2 OF OUTSIDE

RAIL SIZE

5 "

5"

10"

22 "

3 11 "

4 11 "

8 ½''

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5 "	5 "	5 "	5 "	5 "
U	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR

		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 "
В	4 11 "	4 11 "	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"


EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE KAIL	1∕2 OF OUTSIDE RAIL SIZE


RF-04



FRENCH DOOR



R-05



COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 16
В	N/A	N/A	N/A	N/A	4 11 16
С	N/A	N/A	N/A	N/A	8 <u>l</u> ''


EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	½ OF OUTSIDE

RF-05



FRENCH DOOR

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	3 ½"	4''	5 "	5 "	5 "
В	5"	5"	5"	5"	5 "
С	10"	10"	10"	10"	10"

RESIDENTIAL WOOD DOOR


		DO	OR WII	OTH	
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 11"	4 11 16
В	4 11 "	4 11 16	4 11 "	4 11 "	4 11 16
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR


A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE RAIL SIZE



FRENCH DOOR







COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11 16
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	⅓ OF OUTSIDE



FRENCH DOOR

COMMERCIAL DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	5 "	
В	N/A	N/A	N/A	N/A	5 "	
С	N/A	N/A	N/A	N/A	10"	

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11"
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDERAII	⅓ OF OUTSIDE RAIL SIZE



FRENCH DOOR





COMMERCIAL DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5"
В	N/A	N/A	N/A	N/A	5"
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	4 11 16	
В	N/A	N/A	N/A	N/A	4 11 "	
С	N/A	N/A	N/A	N/A	8 ½"	

EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE KAIL	⅓ OF OUTSIDE RAIL SIZE



FRENCH DOOR

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5"
C	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11"
С	N/A	N/A	N/A	N/A	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE RAIL SIZE



FRENCH DOOR





COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	5 "	5 "
В	N/A	N/A	N/A	5"	5"
С	N/A	N/A	N/A	10"	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	3 11 "	4 11 16
В	N/A	N/A	N/A	4 11/1	4 11 16
С	N/A	N/A	N/A	8 ½"	8 ½"

EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE RAIL SI7F



FRENCH DOOR

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	5 "	5 "
В	N/A	N/A	N/A	5 "	5 "
С	N/A	N/A	N/A	10"	10"

RESIDENTIAL WOOD DOOR


		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	3 11"	4 11 "
В	N/A	N/A	N/A	4 11 16	4 11 16
С	N/A	N/A	N/A	8 ½"	8 ½"

EXTERIOR DOOR


		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDERAII	½ OF OUTSIDE RAIL SIZE



FRENCH DOOR





80-M

COMMERCIAL DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	5 "	
В	N/A	N/A	N/A	N/A	5 "	
С	N/A	N/A	N/A	N/A	10"	

RESIDENTIAL WOOD DOOR


		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	4 11 16	
В	N/A	N/A	N/A	N/A	4 11 16	
С	N/A	N/A	N/A	N/A	8 ½"	

EXTERIOR DOOR

		DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"	
Α	-	-	-	-	5 ½"	
В	-	-	-	-	5 ½"	
С	-	-	-	-	10"	

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE	
A - INSIDE RAIL	⅓ OF OUTSIDE	
A - INSIDE KAIL	RAIL SIZE	



FRENCH DOOR

COMMERCIAL DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	5 "	5 "	
В	N/A	N/A	N/A	5 "	5 "	
С	N/A	N/A	N/A	10"	10"	

RESIDENTIAL WOOD DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	3 11 "	4 11 16	
В	N/A	N/A	N/A	4 11 "	4 11 16	
С	N/A	N/A	N/A	8 ½"	8 ½"	


EXTERIOR DOOR

	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	1	1	1	1	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	1∕2 OF OUTSIDE RAIL SIZE

MF-09



FRENCH DOOR





COMMERCIAL DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"	
Α	N/A	N/A	N/A	N/A	5 "	
В	N/A	N/A	N/A	N/A	5"	
С	N/A	N/A	N/A	N/A	10"	

RESIDENTIAL WOOD DOOR

		DOOR WIDTH				
	16"	18"	20 "	22 "	24 - 36"	
Α	N/A	N/A	N/A	N/A	4 11 16	
В	N/A	N/A	N/A	N/A	4 11 "	
С	N/A	N/A	N/A	N/A	8 ½"	


EXTERIOR DOOR

	DOOR WIDTH				
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	-	-	-	10"

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE	
A - INSIDE RAIL	1/2 OF OUTSIDE	

MF-10





35"

COMMERCIAL DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	5 "
В	N/A	N/A	N/A	N/A	5 "
С	N/A	N/A	N/A	N/A	10"

RESIDENTIAL WOOD DOOR

		DOOR WIDTH			
	16"	18"	20 "	22 "	24-36"
Α	N/A	N/A	N/A	N/A	4 11 "
В	N/A	N/A	N/A	N/A	4 11"
С	N/A	N/A	N/A	N/A	8 ½"


EXTERIOR DOOR

		DOOR WIDTH			
	N/A	N/A	N/A	N/A	24-36"
Α	-	-	-	-	5 ½"
В	-	-	-	-	5 ½"
С	-	1	1	ı	10"


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	1/2 OF OUTSIDE RAIL SIZE

MF-11



FRENCH DOOR





CREATE YOUR OWN DESIGN

COMMERCIAL DOOR

	DOOR WIDTH			
Α				
В				
С				

RESIDENTIAL WOOD DOOR


	DOOR WIDTH			
Α				
В				
С				


EXTERIOR DOOR

	DOOR WIDTH			
Α				
В				
С				

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
A - INSIDE RAIL	⅓ OF OUTSIDE RAIL SIZE






Groove Door Series


Groove Door Series

G-11






G-12




G-13-3






G-22






G-23



G-24



CREATE YOUR OWN DESIGN

COMMERCIAL DOOR

	DOOR WIDTH			
Α				
В				
С				

RESIDENTIAL WOOD DOOR


	DOOR WIDTH			
Α				
В				
С				


EXTERIOR DOOR

	DOOR WIDTH			
Α				
В				
С				


BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE
	1∕2 OF OUTSIDE RAIL SIZE






G-25




G-26-3




AVAILABLE:	NO. OF GRV.		
	G26 - 4		
	G26 - 5		



G-27-4




G-28-5






G-31



G-32



French Door Series

French Door Series


FD-205

AVAILABLE IN:


- FLAT CLEAR GLASS
- SINGLE BEVELED GLASS
- DOUBLE BEVELED GLASS
- ACID ETCHED
- ACID ETCHED BEVELED
- WHITE LAMINATED

RESIDENTIAL WOOD DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 110	4 11 "
В	4 11 16	4 11 16	4 11 16	4 110	4 11 "
С	8 l''	8 <u>l</u> ''	8 ½"	8] ''	8 l ''



AFD205



AVAILABLE IN:

- FLAT CLEAR GLASS
- SINGLE BEVELED GLASS
- DOUBLE BEVELED GLASS
- ACID ETCHED
- ACID ETCHED BEVELED
- WHITE LAMINATED

RESIDENTIAL WOOD DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	2 11"	3 11"	3 11"	3 11"	4 11"
В	4 11 "	4 11 "	4 11 "	4 11 16	4 11"
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"

Louver Door Series

Louver Door Series

LV-01



- VENTED LOUVER
- FALSE LOUVER
- OPERABLE LOUVER

MATERIALS:


- MDF
- SOLID WOOD

COMMERCIAL DOOR

	DOOR WIDTH				
	16" 18" 20" 22" 24-				24-36"
Α	3 ½"	4 "	5"	5"	5"
В	5 "	5 "	5"	5"	5"
С	10 "	10 "	10 "	10 "	10"


RESIDENTIAL WOOD DOOR

	DOOR WIDTH				
	16"	18"	20 "	22 "	24-36"
Α	2 11 "	3 11"	3 11"	3 110	4 11 "
В	4 11 16	4 11 16	4 11 16	4 11 "	4 11 "
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"





LV-02



AVAILABLE IN:

- VENTED LOUVER
- FALSE LOUVER
- OPERABLE LOUVER

MATERIALS:

- MDF
- SOLID WOOD

COMMERCIAL DOOR


	DOOR WIDTH					
	16"	18"	20 "	22 "	24-36"	
Α	3 ½"	4"	5"	5"	5 "	
В	5 "	5"	5"	5 "	5 "	
С	10"	10 "	10"	10"	10"	

RESIDENTIAL WOOD DOOR

	DOOR WIDTH					
	16"	18"	20 "	22 "	24-36"	
Α	2 11"	3 11"	3 11"	3 11"	4 11 16	
В	4 11 16	4 11 16	4 11 16	4 110	4 11 16	
С	8 ½"	8 ½"	8 ½"	8 ½"	8 ½"	


Designer Door Series


Designer Door Series







DS-6







DOOR AVAILABLE IN :
- WOOD (ANY SPECIES)














DS-13







DS-14






DS-16-4









CREATE YOUR OWN DESIGN

COMMERCIAL DOOR

	DOOR WIDTH							
Α								
В								
С								

RESIDENTIAL WOOD DOOR


	DOOR WIDTH				
Α					
В					
С					


EXTERIOR DOOR

	DOOR WIDTH					
Α						
В						
С						

BIFOLD DOOR

A - OUTSIDE RAIL	REGULAR SIZE	
A - INSIDE KAIL	½ OF OUTSIDE RAIL SIZE	





Sticking & Panel Profiles

Sticking & Panel Profiles



We understand that, as a Designer, Architect or Business Owner, you are always looking for suppliers and products that will express your vision. This is why we have modeled ourselves for ultimate design flexibility.

We offer a variety of sticking profiles which can be used with virtually any panel profile, that allows you to take advantage of unique ability to interpret your design plans in ways that express your clients' vision. Size, shape, colour, finish, and your creativity, any element of our doors can be adapted to blend with the chosen décor.

This ability is enhanced by our superb craftsmanship, state-of-the-art machinery and software and, of course, the generations of knowledge that go into each piece we produce.


Your Answer to Doors & Design Flexibility

Built to Spec. Built for you.



Sticking Profiles


NOT ALL STICKING AVAILABLE IN ALL DOOR CONSTRUCTION.
PLEASE SEE SALES REP.





Panel Profiles


NOT ALL STICKING AVAILABLE IN ALL DOOR CONSTRUCTION.
PLEASE SEE SALES REP.





NOT AVAILABLE IN MAJESTIC SERIES

MDF
STILE & RAIL

SCOOP PANEL (SCP)












GROOVE PROFILES








PLEASE NOTE: CUSTOM GROOVE AVAILABLE UPON REQUEST




Mouldings & Trim


Mouldings & Trim


Custom Profile Available






REVEAL MOULDING (RVM) M38DL









Custom Profile Available


MODERN MOULDING (MOM) M36DL




CONTEMPORARY MOULDING (COM) DS77DL




PROVINCIAL MOULDING (PRM) M09DL



M32DL






Jamb/Prefit Specifications

Jamb/Prefit Specifications

Jamb Specifications


Available in primed MDF, solid wood, exotic veneers





20 Min. Fire Rated Jamb Specifications

Available in primed MDF, solid wood, exotic veneers




All above jambs available in 20 min firerating



45, 60, 90 min. Fire Rated Jamb Specifications

Available in primed MDF, solid wood, exotic veneers





Knock Down Jambs

JAMBS

The Doorland Group offers a wide variety of Jambs in:


- MDF Primed
- Poplar
- Solid wood
- Exotic Veneer on Solid Wood
- Fire rated for 20min, 45min, 60min, 90min.

Like our doors, our jambs made to order and can be made in any width, size, style and specified wood.

CASING

- Standard Casing 3/8" x 2 1/4"

You will find a variety of casing details and materials at our Doorland Moulding Section.



Green Doors

Green Doors

Your Answer to Green Building

Environmentally-Friendly Doors

All of the Doorland Group's MDF doors are environmentally-friendly, allowing you to achieve your Green building goals without compromising the quality, durability, style and design flexibility.

- Available in all MDF door styles
- Manufactured with low-emitting adhesives
- Constructed of 90 percent recycled content, including 20 percent post-industrial recycled wood fiber
- Eligible for LEED® credits for Materials and Resources
- FSC Certfied



A Forward Thinking Manufacturing Process

The Doorland Group prides itself on being environmentally responsible. Every possible effort is made to ensure that our suppliers embrace the same values and principles towards ecological sustainability, preservation of forests and the environment as a whole.

In an effort to reduce waste, our advanced dust and debris collection system produces the materials used in manufacturing animal stall flooring and particleboard. This system undergoes routine maintenance to ensure efficiency, and is compacted and collected twice daily.

No-Added Urea Formaldehyde (NAUF) MDF Option


If indoor air quality and reducing urea formaldehyde (NAUF) emissions is a building concern, The Doorland Group has the answer.

- Made with MDF that is free of urea formaldehyedes, resulting in better indoor air quality
- Constructed of 93 percent recycled content
- Eligible for LEED® credits for Materials and Resources and Resources and Indoor Environmental Quality
- Same superior performance as Doorland Group's standard MDF doors



Use Doorland Group on your next LEED® certified project

The LEED (Leadership in Energy and Environmental Design) Green Building Rating System is a national standard developed and published by the U.S. Green Building Council (USGBC). Its purpose is to promote sustainable building that is environmentally responsible, profitable and healthy.



¹ LEED for New Construction & Major Renovations, Version 2.2 (October 2005)


 $^{^{\}rm 2}$ LEED for Homes Program Pilot Rating System, Version 1.11a (January 2007) Our Glue is also LEED Compliant.




Technical Specifications

Technical Specifications

Majestic MDF Door Specifications





STANDARD DIMENSIONS:		
THICKNESS	1-3/8", 1-3/4" & 2-1/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT 6/8, 7/0, 8/0		
(Higher Doors Available)		

APPROXIMATE WEIGHT:	(Lbs. based on 1 3/4" thickness)
---------------------	----------------------------------

	6/8	7/0	8/0	_
1/6	41	43	48	
2/0	53	56	64	
2/4	62	65	74	
2/8	71	74	84	
3/0	79	83	95	(in lbs)


MACHINING:


* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



Traditional MDF Door Specifications





STANDARD DIMENSIONS:		
THICKNESS	1-3/8", 1-3/4" & 2-1/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0	
(Higher Doors Available)		

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	64	67	77	
2/0	86	90	103	
2/4	100	105	120	
2/8	114	120	137	
3/0	128	135	154	(in lbs)


MACHINING:


* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



Interior Solid Wood Stile & Rail Door Specifications





STANDARD DIMENSIONS:		
THICKNESS	1-3/8", 1-3/4" & 2-1/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0	
(Higher Doors Available)		

APPROXIMATE WEIGHT: (Based on 1 3/4" thickness)

	6/8	7/0	8/0	_
1/6	50	53	59	
2/0	65	68	78	
2/4	76	79	90	
2/8	86	90	102	
3/0	96	100	114	(in lbs)


MACHINING:

* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails





Exterior Solid Wood Stile & Rail Door Specifications





Solid Wood Stile & Rail French Door Specifications





STANDARD DIMENSIONS:			
THICKNESS	1-3/8" & 1-3/4" (± 1/16")		
WIDTH	1/4 - 3/0		
HEIGHT	6/8, 7/0, 8/0 (Higher Doors Available		
CLEAR GLASS TYPES	Flat Glass (1/8") & Bevel Glass (1/4")		

APPROXIMATE WEIGHT: (Based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	40	42	47	
2/0	52	54	61	
2/4	60	62	71	
2/8	67	71	80	
3/0	75	79	89	

MACHINING:

* Factory-machining available to exacting requirements for hardware


FACTORY FINISH:

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails




(in lbs)

Majestic Groove MDF Door Specifications



AVAILABLE IN ANY WOOD VENEER



STANDARD DIMENSIONS:		
THICKNESS	1-3/8" & 1-3/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0	
(Higher Doors Available)		

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

_	6/8	7/0	8/0	_
1/6	41	43	48	
2/0	53	56	64	
2/4	62	65	74	
2/8	71	74	84	
3/0	79	83	95	(in lbs)


MACHINING:


* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



Engineered Stile & Rail Solid Wood Door Specifications





STANDARD DIMENSIONS:	
THICKNESS	1-3/8", 1-3/4" & 2-1/4" (± 1/16")
WIDTH	1/4 - 4/0
HEIGHT	6/8, 7/0, 8/0
	(Higher Doors Available)

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0
1/6	50	53	59
2/0	65	68	78
2/4	76	79	90
2/8	86	90	102
3/0	96	100	114


MACHINING:

* Factory machining available to exacting requirements for hardware

- * Doors are available with catalyzed Varnish / Polyurethane factory finish
- * Color & Stain Choices are available or custom color matching by submitting a physical sample
- * All Factory finished doors have sealed top & bottom rails



Louver MDF Door Specifications




APPROXIMATE WEIGHT:			(Based on 1	3/4" thickness)
	6/8	7/0	8/0	•
1/6	46	49	56	
2/0	62	65	74]
2/4	72	76	87	
2/8	83	87	99	
3/0	93	98	112	(in lbs)

MACHINING:

* Factory-machining available to exacting requirements for hardware


- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails




STANDARD DIMENSIONS:		
THICKNESS	1-3/8" & 1-3/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT 6/8, 7/0, 8/0		
(Higher Doors Available)		



Traditional Groove MDF Door Specifications





AVAILABLE IN ANY WOOD VENEER

STANDARD DIMENSIONS:		
THICKNESS	1-3/8", 1-3/4" & 2-1/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT 6/8, 7/0, 8/0		
(Higher Doors Available)		

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	67	70	80	
2/0	89	93	106	
2/4	103	108	123	
2/8	117	123	140	
3/0	131	138	157	(in lbs)


MACHINING:

* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



False Louver MDF Door Specifications




APPROXIMATE WEIGHT: (Based on 1 3/4" thickness)				
	6/8	7/0	8/0	_
1/6	49	52	59	
2/0	66	69	79	
2/4	77	81	92	
2/8	88	92	106	
3/0	99	104	119	(in lbs)

MACHINING:

* Factory-machining available to exacting requirements for hardware


- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



STANDARD DIMENSIONS:		
THICKNESS	1-3/8" AND 1-3/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT 6/8, 7/0, 8/0		
(Higher Doors Available)		



Louver Solid Wood Door Specificatoins



APPROXIMATE WEIGHT: (Based on 1 3/4" thickness)				
	6/8	7/0	8/0	-
1/6	39	41	46	
2/0	51	53	60	
2/4	59	61	69]
2/8	66	69	78	
3/0	74	77	88	(in lbs)

MACHINING:

* Factory-machining available to exacting requirements for hardware

FACTORY FINISH:

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails


ļ	1/4"	
STANDARD	DIMENSIONS:	
THICKNESS	1-3/8" & 1-3/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0	
	(Higher Doors Available)	



VARIES

3/16"

Operable Solid Wood Louver Door Specifications




APPROXIMATE WEIGHT:			Based on 1 3/4	" thickness)
	6/8	7/0	8/0	
1/6	39	41	46	
2/0	51	53	60	
2/4	59	61	69	
2/8	66	69	78	
3/0	74	77	88	(in lbs)

MACHINING:

* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails




STANDARD DIMENSIONS:		
THICKNESS	1-3/8" & 1-3/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0	
(Higher Doors Available)		




Fire Rated Doors

Fire Rated Doors

Traditional MDF 20 min. Cat 'B' Door Specifications





35 STC RATING

AVAILABLE IN ANY WOOD VENEER

STANDARD DIMENSIONS:		
THICKNESS	1-3/4" & 2-1/4" (± 1/16")	
WIDTH	1/4 - 4/0	
HEIGHT	6/8, 7/0, 8/0, 9/6	

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	64	67	77	
2/0	86	90	103	
2/4	100	105	120	
2/8	114	120	137	
3/0	128	135	154	(in lbs)


MACHINING:


* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



Traditional MDF 20 min. Cat 'A' Door Specifications





AVAILABLE IN ANY WOOD VENEER

STANDARD DIMENSIONS:	
THICKNESS	1-3/4" AND 2-1/4" (± 1/16")
WIDTH	1/4 - 4/0
HEIGHT	6/8, 7/0, 8/0

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	65	68	78	
2/0	87	91	104	
2/4	101	106	121	
2/8	115	121	138	
3/0	129	136	155	

MACHINING:

* Factory-machining available to exacting requirements for hardware


FACTORY FINISH:


- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



(in lbs)

Traditional MDF 45, 60, 90 min. Door Specifications





35 STC RATING

AVAILABLE IN ANY WOOD VENEER

STANDARD DIMENSIONS:	
THICKNESS	1-3/4" & 2-1/4" (± 1/16")
WIDTH	1/4 - 3/6
HEIGHT	6/8, 7/0, 8/0

APPROXIMATE WEIGHT: (Lbs. based on 1 3/4" thickness)

	6/8	7/0	8/0	
1/6	83	87	100	
2/0	111	117	133	
2/4	130	136	155	
2/8	148	155	178	
3/0	167	175	200	(in lbs)

MACHINING:

* Factory-machining available to exacting requirements for hardware

- * Doors are available with catalyzed varnish/polyurethane factory finish
- * Color choices are available or custom color matching by submitting a physical sample
- * All factory finished doors have sealed top & bottom rails



Fire Rated Doors Specifications

	20 Min Catg B	20 Min Catg A	45 MIN Catg A	60 MIN Catg A	90 MIN Catg A
Available Material	MDF, Wood Veneer	MDF, Wood Veneer	MDF, Wood Veneer	MDF, Wood Veneer	MDF, Wood Veneer
Pressure	Neutral, Positive	Neutral, Positive	Neutral, Positive	Neutral, Positive	Neutral, Positive
Available Thickness	1-3/4", 2-1/4"	1-3/4", 2-1/4"	1-3/4", 2-1/4"	1-3/4", 2-1/4"	1-3/4", 2-1/4"
Maximum Size (Single)	4'0" x 9'0"	4'0" x 9'0"	3'6" x 8'0"	3'6" x 8'0"	3'6" x 8'0"
Maximum Size (Pair)	8'0" x 9'6"	8'0" x 9'6" (Without Hose Stream)	7'0" x 8'0"	7'0" × 8'0"	7'0" x 8'0"
Maximum Vision Panel Size	54"(L) x 30"(W) To a Max. of 1,296 in. ²	54"(L) x 30"(W) To a Max. of 1,296 in. ²	48"(L) x 26"(W) To a Max. of 1,248 in. ²	N/A	N/A
STC Rating	33	33	35	35	36
Hinges	V	V	V	V	√
Cyl. Lock	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	$\sqrt{}$	\checkmark
Card Reader	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Mortise Lock	V	V	V	$\sqrt{}$	√
Viewers	V	V	V	V	$\sqrt{}$
Cyl. Deadbolt	V	V	V	V	√
Surface Exit Device	V	V	V	V	V
CVR Exit Device	V	V	V	V	N/A
Manual Flushbolts	V	V	V	V	$\sqrt{}$
Surface mount or mortise flush bolts	V	V	√	V	√
Auto. Door bottom	V	V	V	V	V
Surface mount closers	V	V	V	V	V
Concealed closers	V	V	N/A	N/A	N/A
Standards		(2000), NFPA 2 7), CAN / ULC S ces Certified			10 (c) (1998),



Factory Finish

Factory Finish

Our Premium Factory Finish

Our state-of-the-art factory finishing line is an automated process which is capable of finishing doors in solid color, stain, sealer and lacquer, for both interior and exterior doors.

Traditional trade finishing methods rely heavily on site conditions and workmanship. These factors can compromise the finish and the overall integrity of the door. The Doorland factory finished door is produced in a controlled environment, where advanced machinery and qualified staff ensure a superior finish for each and every door.

Factory finishing adds value and beauty to living spaces. A well-finished door can be created to accent the overall style and décor of a living area, much like a piece of well-crafted furniture.

To ensure each and every door measures up to the Doorland standards of consistency and superior finish, our quality assurance team meticulously inspects the doors on all six sides. These scheduled quality checks are conducted throughout the factory finishing process. Our factory finished doors arrive on-site as per specification and are ready for installation.

How it's done?

Step 1.	The unfinished door is placed into and automated conveyer system where the factory finishing process begins.
---------	--

- Step 2. The door is put through a pre-sanding stage, where only the surface is sanded.
- Step 3. After the pre-sanding is complete, the door enters a denibbing machine, where only the raised panels are sanded.
- Step 4. Once the surface and the raised panels are sanded, the door is put through a vacuum system where any dust and wood particles are removed.
- Step 5. The sanded and cleaned door is sent to a preheating chamber. Preheating will allow the primer and paint to adhere suitably for the desired finish.
- Step 6. Once the door reaches the desired temperature, it enters the spray line where the automated spray guns apply an even amount of primer and paint.
- Step 7. The primed and painted door is placed and then stacked into a drying oven.
- Step 8. Once the primer and paint is dry, the door enters a cooling chamber where it is inspected for cracks or imperfections.
- Step 9. After careful inspection, the door travels through a final denibbing sanding stage where all excess primer is removed.
- Step 10. Once the excess primer is removed, the door enters an automated flipping system where it is flipped and the whole process is repeated.
- Step 11. Upon completion of the factory finishing process, all doors are inspected and approved by our quality assurance team.

Factory Finishing Benefits:

- Streamlined processes to improve efficiency and cost
- State-of-the-art machinery
- No exposure to external elements
- Preservation of the integrity and quality of the door
- Minimizes colour inconsistencies
- Preferable process over site finishing
- Adds style, consistency to décor

Factory Finishing Features:

- Produced in-house
- Controlled environment
- 2 stages of sanding and primer
- Solid and custom colours
- Stain, sealer and lacquer
- All doors sealed top and bottom
- Interior and exterior doors



Handling & Warranty

Handling & Warranty

Store, Handle, Care, Finish, Install & Maintain

LIMITED WARRANTY

Doorland Group warrants – subject to the conditions and restriction below – that all doors manufactured and sold by Doorland Group shall be free from defects in materials and workmanship for five years for interior doors and 2 years for exterior doors (with exterior sealing) from the time of manufacturing. Should any door manufactured by Doorland Group fail to conform to this published warranty, Doorland Group will repair or replace the doors. If repair or replacement is not practical, Doorland Group will refund the full purchase price of the doors. This warranty does not cover any other cost such as, refinishing, re-hanging, or anything related to the repair, replacement, or refund, Doorland Group will not be liable for any door(s) repaired or replaced without its prior written consent. The Purchaser upon receipt of doors should inspect each door.

THIS LIMITED WARRANTY IS SUBJECT TO THE FOLLOWING:

A. STORAGE & HANDLING INSTRUCTIONS:

- Always handle with care, preferably with 2 people.
- Always store doors horizontally on a flat dry clean surface.
- Do not slide doors on each other as they may scratch.
- Do not drag doors across floor or any other surface.
- Always use bottom and top protectors to protect the door from dirt, water and edges being damage.
- Do not subject doors to extreme heat, humid conditions, dryness or direct sunlight.
- Store at least 4" off floor, flat on a level surface in a clean, dry well-ventilated area protected from sunlight, wide swings in relative humidity, and abnormal heat or cold. Relative humidity should not be less than 25% nor more than 55%.

B. TOLERANCES:

- Size tolerance: thickness, length, width $\pm 1/16$ ".
- Squareness tolerance diagonal measurement difference will not exceed 1/8".
- Hardware preparation by Doorland Group shall have a tolerance ±1/32" on hinge preparation and lock preparation cutouts.
- Warpage will not be considered a defect unless it exceeds ¼" in the plane of the door itself. For doors 1¾" or thicker, warp will not exceed ¼" in doors 3/6 x 7/0 or smaller, nor will it exceed ¼" in any section of a door larger than 3/6 x 7/0. For doors less than 1¾" thick, warp will not exceed ¼" for doors smaller than 3/0 x 7/0. Warp is measured by placing a straight edge on the concave face and determining the maximum distance from straight edge on the straight edge to door face.

C. CARE AND FINISHING:

- Doors should not be considered ready for finish when initially received. Insure that the doors have been allowed to adapt to stable moisture content.
- The door should be completely block sanded on all surfaces with 220 grit abrasive sandpaper to remove all handling marks, raised grain and other undesirable blemishes, prior to finishing.
- All exposed surfaces must be sealed, including the top and bottom rails with a non water based sealed or primer.
- The door surface should be satisfactory in both smoothness and color before applying the next coat. Be sure coat is dry and hard before applying the next coat.
- Always obtain and follow paint manufacturer's recommendations. Never attempt to paint hardboard in moist conditions, paint will not dry quickly enough and will penetrate into the door to cause expansion.
- For exterior doors, two coats of high quality exterior grade sealer or primer must be applied as soon as the doors arrive at the job site.
- Apply two coats of high-grade enamel paint appropriate for application.

D. MAINTENANCE:

 Due to conditions beyond our control most finishes on exterior doors deteriorate relatively quickly. Inspect the condition of exterior finishes at least once a year and refinished as often as needed to maintain the protective integrity of the finish.

E. INSTALLATION:

- The integrity or structural strength of the doors must not be compromised in fitting to the opening, or in applying hardware, preparing for lites, louvers, plant-ons or other detailing.
- All products must be installed by an experienced door installer. Installer must drill pilot holes before installing hinges. Check screw manufactures' recommendations for size of pilot holes required. Failure to drill pilot holes, voids door warranty.
- Use the following hinges:

DOOR HEIGHT	DOOR THICKNESS	NUMBER OF BALL BEARING HINGES
UP TO 6'8"	1 3/8 (inch)	2
UP TO 6'8"	1 3/4 (inch)	3
7′0 TO 8′0	1 3/8 (inch)	4
7′0 TO 8′0	1 3/4 (inch)	4
ANY HEIGHT	over 2"	4



Store, Handle, Care, Finish, Install & Maintain

- Clearance between door edges and door frame should be minimum of 1/16" on the hinge edge. For latch edge and top rail the clearance should be 1/8".
- Pilot holes must be drilled for all screws that act as hardware attachments.
- Doors and door frames must be installed plumb, square and level.

F. WARRANTY LIMITATIONS & EXCLUSIONS:

 All Doorland Group products are guaranteed, at the time of shipment. Doorland Group warrants its products to be defect-free and working under normal recommended usage.

Characteristics excluded from this warranty:

- Unsatisfactory issues caused by failure to follow the "Receiving, Handling and Hanging" instructions set forth herein
- Damage and/or defects caused by things beyond the control of Doorland Group.
- Warpage not exceeding ¼" (6mm) in any section of the door measuring 36" x 84".
- Warpage refers to any distortion in the door itself not its relation to the frame or jamb.
- Exterior doors in locations without adequate overhang protection from the elements, or hung in pairs.
- Doors left unfinished at the job site and exposed to the sun or excessive cold, heat, or moisture.

The manufacture's responsibility under this warranty is as stated herein; there are no warranties that extend beyond the foregoing. Doorland Group shall not be liable for indirect, incidental or consequential damage, or for any amount in excess of the manufacture's price for the doors involved, whether the claim is for negligence or breach of warranty.

In order to provide our customers with the finest products; Doorland Group reserves the right to make design or construction changes without notice.

G. DOORS & CLAIM PROCEDURE

- All orders must be visually inspected while driver is present.
 Please check:
 - a. Did you receive what was ordered?
 - b. Is the merchandise in good condition?
- All complaints must be noted on packing slip and bill of lading to file a claim.
- All complaints must be reported within 24 hours of receiving merchandise.
- To request a return of merchandise, please contact order desk for a 'Return of Merchandise' form which must be completed in full.

H. RETURNING THE DOOR PRODUCTS

 All order cancellations, amendments or returns where Doorland Group, warranty, does not cover the return and/or Doorland Group is not at fault, are subject to a 50% standard re-stocking charge. This applies only to standard doors, custom doors cannot be returned.

Doorland Group reserves the following rights:

- To inspect all products before they are returned or credited.
- To only accept returned products, which have been authorized by Doorland Group.
- Repair the damage without charge.
- Replace the door without charge as originally sold to the purchaser.
- Refund the original price paid to Doorland Group.

Doorland Group is not liable for the following:

- Door repaired or replaced without its prior written consent.
- Cost of Labour, Installation or finishing of the original door or replacement door or any other cost concerning the replacement of the door.

The limited warranty applies only to the original purchaser of Doorland Group products.

Improper storage, handling, finishing and installation of doors may result in sever damage to the doors. The above guidelines will help to maintain the high quality products supplied by Doorland Group.

IF THE ABOVE INSTRUCTIONS ARE NOT FOLLOWED, WARRANTY WILL BECOME NULL & VOID!!!

IF YOU HAVE ANY OTHER QUESTIONS, CONTACT:


DOORLAND GROUP
221 CREDITVIEW ROAD
WOODBRIDGE, ONTARIO, L4L 9T1
TOLL FREE: 1-800-265-0379
TEL: 905-850-5190

FAX: 905-850-5193




Machining Sheets

Machining Sheets







Quote Request

Quote Request

5
N.
Я
EST
R
Z
Ħ
Ĭ
Š
O

			Міге Касему													
			Pull (Edge / Flush)													
			Viewer													
			Auto. Door Bottom													
			Concealed OH Stop													
		р	Concealed Vertical Roo													
			Surface Vertical Rod													
	(sp)		Mortise Exit Device													
	ps ate fie	9:	Surface RIM Exit Devic													
	Pre ropriè		Fire Bolt Latch													
	are e app		Extended Flush Bolt													
	k t		Auto. Flush Bolt													
	Hange Green		Bottom Flush Bolt													
	Hardware Preps (Please check the appropriate fields)	1	Strike & Top Flush Bol													
		ų:	Roller Latch / Ball Catc													
			Card Lock													
			Mortise Lock											·		
		miาT	Cyl Dead Bolt/Dummy													
			Cyl Lock													
			(8 + T) səgniH tovi9													
			səgniH													
		l														
			Material													
		_														
×		Jamb	Rabbetted													
Project: Location Deliver To:			†sl∃													
Project: Location Deliver T			UNDIAA						 							
			4jÞiW													
			Fire Rating													
			Poite Pating													
		Finish Type	Stail, Sealer, Lacquer													
			Sealer, Lacquer													
		nish	hsini∃ qoh2											·		
		ΙŒ	Prime Only													
		<u>%</u>	bətenimeJ ətidW													
		Glazing (If any)	behɔt∃ biɔA													
		zing	Clear Bevelled													
		Θ̈́	Clear													
	vings)		Material													
	draw															
	tion ovide															
gner	crip ase pr		Active \ Inactive													
Desi	Des s, plea															
ot/	DOF esigns		9nibneH													
Architect / Designer Company Address Phone Fax Email	ے کے	Щ														
Archi Com Addr Phon Fax Emai	o _m		Thickness													
	r custom	hes)	1.14	١ ;												1
	Door Description (For custom designs, please provide drawings)	(Inches)													1 1 1	
	For custom	Size (Inches)	Яеідht													
	For custom	Door Size (Inches)	ти́рі́эН													
	 For custorr	Door Size (Inches)														
	For custom		ти́рі́эН													
	For custom		Panel Profile Thb/W													
	(For custom		gnibluoM \ gnibait eliforq eliforq leneq ndbiW thbiW													
	(For custon	Door Detail Door Size (Inches)	gnibluoM \ Wollding \ Mollding \													
	(For custon		gnibluoM \ gnibait eliforq eliforq leneq ndbiW thbiW													
	(For custom		gnibluoM \ Wollding \ Mollding \													
	(For custom	Door Detail	Prood Style Sticking / Moulding Profile Panel Profile Math Width													
	(For custom	Door Detail	French Door French Door Style Stoking / Moulding Profile Profile Width Height													
	(For custon	Door Detail	Louver Stile & Rail French Door French Door Style Sticking / Moulding Profile Panel Profile Width Width													
	(For custon		Louver MDF Louver Stile & Rail French Door Door Style Sticking / Moulding Profile Panel Profile Width Width													
	(For custon	Door Type Door Detail	Majestic Solid MDF Solid MDF Solie & Rail Wood Louver Stile & Rail French Door Toor Style Sticking / Moulding Profile Profile Panel Profile Width Width Height											÷.		
	(For custon	Door Type Door Detail	Majestic Solid MDF Solid MDF Solie & Rail Wood Louver Stile & Rail French Door Toor Style Sticking / Moulding Profile Profile Panel Profile Width Width Height											eNTS:		
	(For custon	Door Detail	Majestic Solid MDF Solid MDF Solie & Rail Wood Louver Stile & Rail French Door Toor Style Sticking / Moulding Profile Profile Panel Profile Width Width Height											MENTS:		
	(For custon	Door Type Door Detail	Majestic Solid MDF Solid MDF Solie & Rail Wood Louver Stile & Rail French Door Toor Style Sticking / Moulding Profile Profile Panel Profile Width Width Height											OMMENTS:		
Contact Company Address Phone Fax Email	(For custon	Door Type Door Detail	Threrior Exterior Majestic Solid MDF Stile & Rail Wood Louver MDF Louver Stile & Rail French Door Sticking \ Moulding Profile Profile Wardth Height	-	N	m	4	IO.	9	7	0	6	01	COMMENTS:		

Prices and styles are subject to change without prior notice.

Prices and styles are subject to change without prior notice.

				Pull (Edge / Flush) Wire Racewy											
				Auto. Door Bottom Viewer											
				Concealed OH Stop	 ***********	-			-		 				
			p	Concealed Vertical Roc							 		1		
				Surface Vertical Rod											
		Hardware Preps (Please check the appropriate fields)		Mortise Exit Device	 						 				
		reps priate	ə	Fire Bolt Latch Surface RIM Exit Device											
		are P		Extended Flush Bolt											
		rdwa		Auto. Flush Bolt											
		Ha ase che		Bottom Flush Bolt											
L		- Bl		Strike & Top Flush Bolt	 						 				
				Card Lock Roller Latch / Ball Catc											
				Mortise Lock							 		1		
			mirT	Cyl Dead Bolt/Dummy							 		1		
				C ^λ I Γ ^{oc} k											
				Pivot Hinges (T + B)	 						 				
				səgniH											
				laireteM											
			_												
	.ö		Jamb	Rabbetted	************	ļ		ļ			 ļ				
Project:	Location Deliver To:			te⊟											
Pro	Loc			Width											
													1		
				Fire Rating											
			Φ	Stail, Sealer, Lacquer]		
			Finish Type	Sealer, Lacquer											
			Finis	dsini qod							 				
			8	White Laminated Prime Only									1		
			Glazing (If any)	behəta biəA											
			azing	Clear Bevelled]		
			Ū	Clear											
		ings)		laineteM											
		e draw													
Ļ		ption provid	-										-		
Architect / Designer	1	es cri l		Active / Inactive											
t/ De		or De		6nibneH											
hitect	Company Address Phone Fax Email	Do mo	-												
Arc	Compa Addre Phone Fax Email	Door Description (For custom designs, please provide drawings)	ches)	Thickness											
		3	ze (Inc	Height											
			Door Size (Inches)						-		 				
			ă	Width											
1				Panel Profile								_			
			Detail		 				-		 				
			Door Detail	Sticking / Moulding Profile	 				ļ		 				
				Door Style					***************************************						
				+											
				French Door		·	İ	†	t	ļ	†		1		
			ø.	Louver Stile & Rail French Door	**********						 				
			r Type	Louver MDF	***************************************										
			Door Type	Stile & Rail Wood Louver MDF Louver Stile & Rail											
			Door Type	Solid MDF Stile & Rail Wood Louver MDF Louver Stile & Rail											
				Majestic Solid MDF Stile & Rail Wood Louver MDF Louver Stile & Rail	***************************************								NTS:		
+	25 		Choose Door Type one	Majestic Solid MDF Stile & Rail Wood Louver MDF Louver Stile & Rail									4MENTS:		
Contact	Company Address Phone Fax Email			Majestic Solid MDF Stile & Rail Wood Louver MDF Louver Stile & Rail									COMMENTS:		